



### Main characteristics :

- Reflection breaking surface to reduce glare and improve operator comfort
- Protection against small collisions thanks to natural resilience of rubber
- Prevention of sliding of delicate components thanks to the excellent friction coefficient of the material, which is increased by the embossed surface
- Heating resistance : rubber does not melt and does not burn coming into contact with hot metal parts or soldering debris
- Chemical resistance : please ask for detailed data sheet
- Oil resistance : this product resists to most oils
- Suitable to loose laying : this product does not require application with adhesive
- Good resistance to scratches
- Excellent flexibility and comfort

### Size and colors :

- Rolls 1,22 x 10 m /2mm thickness (double layer) ; other sizes upon request
- Available in light grey, light blue and green

### Physical and Mechanical Characteristics – Dissipative colored top layer :

- Hardness (ISO 7619) :  $75 \pm 5$  shore A
- Abrasion resistance (ISO 4649, method A) :  $\leq 200$  mm<sup>3</sup>
- Indentation (EN 433) :  $\leq 0,20$  mm
- Cigarette burning resistance (EN 1399) : No burn
- Chemical resistance (EN 423) : resistant to chemical agents normally used for maintenance
- Dimensional Stability (EN 434 – 6h/80°C) :  $\leq 0,4\%$
- Surface resistance Top layer (EN 100015,1-IEC61340) : about  $10^8$  Ohm
- Surface resistance Bottom layer (EN100015,1 – IEC61340) : about  $10^6$  Ohm
- Vertical Resistance (EN 1081 Met A) :  $R_1 \leq 10^9$  Ohm

KIT RSKN117

1°/ NOMENCLATURE


<p>1X TAPIS DISSIPATEUR 0.6 X 1,2M AVEC PRESSION</p>		<p>(a)</p>
<p>1X BORNIER DAV1870 A RACCORDER A LA PRISE RSJ6197F</p>		<p>(b)</p>
<p>1X RSJ6197F : PRISE AVEC 2 ECROUS POUR COSSE M5 POUR MISE A LA TERRE</p>		<p>(c)</p>
<p>1X BRACELET REGLABLE DAVBAND4 AVEC CORDON POUR OPERATEUR DAV04FBF</p>		<p>(d)</p>



SAS AU CAPITAL DE 110.400 €

R.C.S.Bobigny B 321 784 407 – Siret 321 784 407 00025 – APE 4652 Z - N° TVA FR 18 321 784 407

2°/ SCHEMA



**DAVUM**  
**TMC**

SAS AU CAPITAL DE 110.400 €

R.C.S.Bobigny B 321 784 407 – Siret 321 784 407 00025 – APE 4652 Z - N° TVA FR 18 321 784 407