


## Electronics

### Tweezers

#### 7 ESD Cushion Grip Tweezers



4 3/4" 120 mm

Fine curved tips

ESD cushion grip handles

7.SA.DR     **Anti-Magnetic Anti-Acid Stainless Steel body with ESD cushion grip handles (DR)**

### General notes

- **NBR** vulcanized nitrile rubber
- very soft and elastic, good tear resistance
- outstanding abrasion/wear resistance (improved life-time)
- good chemical resistance (oils, grease, fuels, acid, detergents and soaps ); good hydrolytic resistance (hot water)
- electrically static dissipative, low surface resistivity (10<sup>8</sup>Ω; -10<sup>13</sup>Ω), ESD-safe material!
- typical applications include ESD-safe handles, floor and work surface mats

## Mechanical properties

Hardness, Shore A	30	
Tensile modulus 100%	0.6 MPa	DIN 53504, 23°C
Tensile modulus 200%	1.1 MPa	DIN 53504, 23°C
Tensile modulus 300%	1.8 MPa	DIN 53504, 23°C
Tensile modulus 400%	2.6 MPa	DIN 53504, 23°C
Tensile strength, ultimate	10.4 MPa	DIN 53504, 23°C
Elongation at break	817.3%	DIN 53504, 23°C

## Thermal properties

Continuous Use Temperature	100°C	20'000 h
Short Time Temperature	120°C	

## Electrical properties

Surface resistivity:	10 <sup>8</sup> Ω;-10 <sup>13</sup> Ω;Ohm
----------------------	---

## Other properties

Density	1.10 g/ccm	ISO 1183
---------	------------	----------

© IDEAL-TEK SA  
Credits